Patient Name:	Date			
Modified Oswestry Low Back	Pain Disability Questionnaire ^a			
This questionnaire has been designed to give your doctor information as to hor answer every section and mark in each section only ONE box that best describ may describe your condition, but please mark only the box that MOST CLOS	pes your condition today. We realize you may feel that two of the statements			
Pain Intensity ☐ I can tolerate the pain I have without having to use pain medication. ☐ The pain is bad, but I can manage without having to take pain medication. ☐ Pain medication provides me with complete relief from pain. ☐ Pain medication provides me with moderate relief from pain. ☐ Pain medication provides me with little relief from pain. ☐ Pain medication has no effect on my pain.	Standing I can stand as long as I want without increased pain. I can stand as long as I want, but it increases my pain. Pain prevents me from standing for more than 1 hour. Pain prevents me from standing for more than 1/2 hour. Pain prevents me from standing for more than 10 minutes. Pain prevents me from standing at all.			
Personal Care (e.g., Washing, Dressing) I can take care of myself normally without causing increased pain. I can take care of myself normally, but it increases my pain. It is painful to take care of myself, and I am slow and careful. I need help, but I am able to manage most of my personal care. I need help every day in most aspects of my care.	Sleeping □ Pain does not prevent me from sleeping well. □ I can sleep well only by using pain medication. □ Even when I take medication, I sleep less than 6 hours. □ Even when I take medication, I sleep less than 4 hours. □ Even when I take medication, I sleep less than 2 hours. □ Pain prevents me from sleeping at all.			
□ I do not get dressed, I wash with difficulty, and I stay in bed. Lifting □ I can lift heavy weights without increased pain. □ I can lift heavy weights, but it causes increased pain. □ Pain prevents me from lifting heavy weights off the floor, but I can manage if the weights are conveniently positioned (e.g., on a table). □ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned.	Social Life My social life is normal and does not increase my pain. My social life is normal, but it increases my level of pain. Pain prevents me from participating in more energetic activities (e.g., sports, dancing). Pain prevents me from going out very often. Pain has restricted my social life to my home. I have hardly any social life because of my pain.			
□ I can lift only very light weights. □ I cannot lift or carry anything at all. Walking □ Pain does not prevent me from walking any distance. □ Pain prevents me from walking more than 1 mile. (1 mile = 1.6 km). □ Pain prevents me from walking more than 1/2 mile. □ Pain prevents me from walking more than 1/4 mile. □ I can walk only with crutches or a cane. □ I am in bed most of the time and have to crawl to the toilet.	Traveling ☐ I can travel anywhere without increased pain. ☐ I can travel anywhere, but it increases my pain. ☐ My pain restricts my travel over 2 hours. ☐ My pain restricts my travel over 1 hour. ☐ My pain restricts my travel to short necessary journeys under 1/2 hour. ☐ My pain prevents all travel except for visits to the physician / therapist or hospital.			
Sitting I can sit in any chair as long as I like. I can only sit in my favorite chair as long as I like. Pain prevents me from sitting for more than 1 hour. Pain prevents me from sitting for more than 1/2 hour. Pain prevents me from sitting for more than 10 minutes. Pain prevents me from sitting at all.	Employment / Homemaking ☐ My normal homemaking / job activities do not cause pain. ☐ My normal homemaking / job activities increase my pain, but I can still perform all that is required of me. ☐ I can perform most of my homemaking / job duties, but pain prevents me from performing more physically stressful activities (e.g., lifting, vacuuming). ☐ Pain prevents me from doing anything but light duties. ☐ Pain prevents me from performing any job or homemaking chores.			
FOR OFFICE USE ONLY Score: /50 x 100 =% points Scoring: For each section the total possible score is 5: if the first statement is marked the se score is calculated as follows: Example: 16 (total scored) 50 (total possible score) x 100 = 32% If one section is missed or not applicable the score is calculated: 16 (total scored) 45 (total possible score) x Minimum Detectable Change (90% confidence): 10% points (Change of less than this amounts)	ection score = 0, if the last statement is marked it = 5. If all ten sections are completed the $100 = 35.5\%$			

Source: Fritz JM, Irrgang JJ. A comparison of a modified Oswestry Low Back Pain Disability Questionnaire and the Quebec Back Pain Disability Scale.


Physical Therapy. 2001;81:776-788.

*Modified by Fritz & Irrgang with permission of The Chartered Society of Physiotherapy, from Fairbanks JCT, Couper J, Davies JB, et al. The Oswestry Low Back Pain Disability Questionnaire. Physiotherapy. 1980;66:271-273.

Name:	Date:
. 14110.	Datc.

PAIN DIAGRAM

On the diagrams below mark where you are experiencing pain, right now. Use the letters below to indicate the type and location of your sensations.



PAIN SCALE

Rate the severity of your pain by checking one box on the following scale.

									Wo	rst Poss
o Pair	1	-				,				Pain
0	1	2	3	4	5	6	7	8	9	10
								<u> </u>		

For Office Use Only	
pro	